

Type Approval Certificate

This is to certify that the undernoted product has been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System.

This certificate is issued to:

PRODUCER	Hydro Bond Engineering
REGISTERED OFFICE	Hydro House Claymore Avenue Aberdeen Energy Park Bridge of Don Aberdeen – AB23 8GW UK
PLACE OF PRODUCTION	Hydro House Claymore Avenue Aberdeen Energy Park Bridge of Don Aberdeen – AB23 8GW UK
DESCRIPTION	Electrical Penetrators for use on Diving Bells and Deck Decompression Chambers (DDC) Systems to a working depth of 650m MSW

Certificate No.	19/90001
Issue Date	22 January 2019
Expiry Date	21 January 2024
Sheet	1 of 3



Winston D Souza
UK&I Offshore Technical Support Office, Marine & Offshore
Lloyd's Register EMEA

*Lloyd's Register EMEA
Kingswells Causeway, Prime Four Business Park, Kingswells, Aberdeen, AB15 8PU, UK
A member of Lloyd's Register Group Limited*

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



TYPE	<u>HBE Diving Bell Penetrators:</u> HPS-297/95/TA, 1" UNF HPS-297/125/TA, 1" UNF HPS-298/95/TA, 1 3/4" UNF
APPLICATION	Diving Bells and Deck Decompression Chambers
CONFIGURATION	Moulded Right Angle (-1) Moulded In-Line (-2)
STANDARDS	Lloyd's Register Rules and Regulations for the Construction and Classification of Submersibles and Diving Systems (2016)
RATINGS	Working Depth (metres): 650msw Working Temperature (-40°C to 60°C) (°C): Working Voltage (V): 500V

LIMITATIONS OR OTHER CONDITIONS

1. Penetrators are to be selected and installed in accordance with the manufacturer's instructions and recommendations.
2. The certificate is not valid for equipment, the design, ratings or operating parameters which have been varied from the original designs submitted for design review and testing at various accredited test facilities. The manufacturer should inform Lloyd's Register of any modification or changes to the equipment in order to obtain a valid certificate.
3. The Type Approval Design Appraisal Document no: PRJ11099080/19/90001 and the Supplementary Type Approval Terms and Conditions form part of this Certificate.

Supplementary Type Approval Terms and Conditions

Type Approval certifies that a representative sample of the product(s) referred to herein have been found to meet the applicable design criteria for the use specified herein. It does not mean or imply approval for any other use, nor approval of any product(s) designed or manufactured otherwise than in strict conformity with the said representative sample.

Lloyd's Register EMEA

Kingswells Causeway, Prime Four Business Park, Kingswells, Aberdeen, AB15 8PU, UK

A member of Lloyd's Register Group Limited

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Type Approval is based on the understanding that the manufacturer's recommendations and instructions and any relevant requirements of the Rules and Regulations are complied with. Type Approval does not eliminate the need for normal inspection and survey procedures required by the Rules and Regulations.

Lloyd's Register EMEA reserves the right to cancel or withdraw this Type Approval Certificate in accordance with the Lloyd's Register Type Approval System Procedure.

Lloyd's Register EMEA

Kingswells Causeway, Prime Four Business Park, Kingswells, Aberdeen, AB15 8PU, UK

A member of Lloyd's Register Group Limited

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.